Pipe fittings
Series 2000

Connections: M5, G1/8, G1/4, G3/8, G1/2
R1/8, R1/4, R3/8, R1/2, R3/4

When involved in factory maintenance or plant installation it is often difficult to be certain which size of fitting will be required.
The Camozzi pipe fitting range provides a cost effective solution to this problem.

The full range includes straight, L - T shaped and cross piece male or female couplings, all of which are available in a large variety of thread sizes.
Material: brass OT58 (nickel-plated).
Treaded: GAS conical ISO 7 (BSPT)
GAS cylindrical ISO 228 (BSP).

GENERAL DATA

Material	OT58 (nickel-plated)
Threads	GAS conical ISO 7 (BSPT) GAS cylindrical ISO 228 (BSP)
Pressure	40 Bar
Fluid	Compressed air or other low pressure fluids
Temperature	-40°C ÷ 120°C

Pipe fittings and tubing



The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

Fittings Mod. 2500



DIMENSIONS				
Mod.	A	H	L	SW
2500 1/8	R1/8	7,5	19,5	12
2500 1/4	R1/4	11	27	14
2500 3/8	R3/8	11,5	28	17
2500 1/2	R1/2	14	33,5	22
2500 3/4	R3/4	16,5	40	27

Fittings Mod. 2501



DIMENSIONS				
Mod.	A	H	L	SW
2501 M5	M5	4	11,5	8
2501 1/8	G1/8	6	16,5	13
2501 1/4	G1/4	8	21	17
2501 3/8	G3/8	9	23	19
2501 1/2	G1/2	10	25,5	24

Fittings Mod. 2510



DIMENSIONS						
Mod.	A1	A2	H1	H2	L	SW
2510 1/8-1/4	R1/8	R1/4	7,5	11	23,5	14
2510 1/8-3/8	R1/8	R3/8	7,5	11,5	24	17
2510 1/4-3/8	R1/4	R3/8	11	11,5	27,5	17
2510 1/4-1/2	R1/4	R1/2	11	14	30,5	22
2510 3/8-1/2	R3/8	R1/2	11,5	14	31	22
2510 1/2-3/4	R1/2	R3/4	14	16,5	37,5	27

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

4

CONNECTION

Fittings Mod. 2520



DIMENSIONS

Mod.	A	B	H	L	SW
2520 1/8-1/8	R1/8	G1/8	7,5	17,5	13
2520 1/8-1/4	R1/8	G1/4	7,5	19	17
2520 1/8-3/8	R1/8	G3/8	7,5	20	20
2520 1/4-1/4	R1/4	G1/4	11	22,5	17
2520 1/4-3/8	R1/4	G3/8	11	23,5	20
2520 1/4-1/2	R1/4	G1/2	11	27,5	24
2520 3/8-3/8	R3/8	G3/8	11,5	24	20
2520 3/8-1/2	R3/8	G1/2	11,5	28	24
2520 1/2-1/2	R1/2	G1/2	14	30,5	24

Fittings Mod. 2521



DIMENSIONS

Mod.	A	B	H	L	SW
2521 M5-1/8	M5	G1/8	4	14	13
2521 1/8-1/8	G1/8	G1/8	6	16	13
2521 1/8-1/4	G1/8	G1/4	6	17,5	17
2521 1/8-3/8	G1/8	G3/8	6	18,5	20
2521 1/4-1/4	G1/4	G1/4	8	19,5	17
2521 1/4-3/8	G1/4	G3/8	8	20,5	20
2521 1/4-1/2	G1/4	G1/2	8	24,5	24
2521 3/8-3/8	G3/8	G3/8	9	21,5	20
2521 3/8-1/2	G3/8	G1/2	9	25,5	24
2521 1/2-1/2	G1/2	G1/2	10	26,5	24

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

Fittings Mod. 2511



DIMENSIONS

Mod.	A1	A2	H1	H2	L	SW
2511 M5-1/8	M5	G1/8	4	6	14,5	13
2511 1/8-1/4	G1/8	G1/4	6	8	19	17
2511 1/8-3/8	G1/8	G3/8	6	9	20	19
2511 1/4-3/8	G1/4	G3/8	8	9	22	19
2511 1/4-1/2	G1/4	G1/2	8	10	23,5	24
2511 3/8-1/2	G3/8	G1/2	9	10	24,5	24

Fittings Mod. 2525



DIMENSIONS

Mod.	A	B	H	I	L	SW
2525 1/8-16	G1/8	G1/8	6	16	22	13
2525 1/8-36	G1/8	G1/8	6	36	42	13
2525 1/4-27	G1/4	G1/4	8	27	35	17
2525 1/4-43	G1/4	G1/4	8	43	51	17

Fittings Mod. 2530



DIMENSIONS

Mod.	A	B	H	L	SW
2530 1/4-1/8	R1/4	G1/8	11	16	14
2530 3/8-1/8	R3/8	G1/8	11,5	16,5	17
2530 1/2-1/8	R1/2	G1/8	14	19,5	22
2530 3/8-1/4	R3/8	G1/4	11,5	16,5	17
2530 1/2-1/4	R1/2	G1/4	14	19,5	22
2530 1/2-3/8	R1/2	G3/8	14	19,5	22
2530 3/4-1/2	R3/4	G1/2	16,5	23,5	27

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

4

CONNECTION

Fittings Mod. 2531

* = Models with through thread.



DIMENSIONS						
Mod.	A	B	H	L	SW	
2531 1/8-M5	G1/8	M5	6	10,5	13	*
2531 1/4-1/8	G1/4	G1/8	8	13	17	*
2531 3/8-1/8	G3/8	G1/8	9	14	19	
2531 3/8-1/4	G3/8	G1/4	9	14	19	*
2531 1/2-1/8	G1/2	G1/8	10	15,5	24	
2531 1/2-1/4	G1/2	G1/4	10	15,5	24	
2531 1/2-3/8	G1/2	G3/8	10	15,5	24	*

Fittings Mod. 2543



DIMENSIONS			
Mod.	B	L	SW
2543 M5	M5	11	8
2543 1/8	G1/8	15	13
2543 1/4	G1/4	22	17
2543 3/8	G3/8	23	20
2543 1/2	G1/2	28	24

Fittings Mod. 2553



DIMENSIONS				
Mod.	B1	B2	L	SW
2553 M5-1/8	M5	G1/8	13,5	13
2553 1/8-1/4	G1/8	G1/4	17	17
2553 1/8-3/8	G1/8	G3/8	18	20
2553 1/8-1/2	G1/8	G1/2	21,5	24
2553 1/4-3/8	G1/4	G3/8	19,5	20
2553 1/4-1/2	G1/4	G1/2	23	24
2553 3/8-1/2	G3/8	G1/2	24	24

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

Fittings Mod. 2611



DIMENSIONS				
Mod.	A	H	L	SW
2611 M5	M5	4	7,5	8
2611 1/8	G1/8	6	10,5	13
2611 1/4	G1/4	8	13	17
2611 3/8	G3/8	9	14	19
2611 1/2	G1/2	10	15,5	24

Fitting Mod. 2610 3/4



DIMENSIONS				
Mod.	A	H	L	SW
2610 3/4	R3/4	16,5	23	27

Fittings Mod. 2613



DIMENSIONS			
Mod.	B	L	SW
2613 1/8	G1/8	11	12
2613 1/4	G1/4	13,5	15
2613 3/8	G3/8	15,5	18
2613 1/2	G1/2	22,5	19

Fittings Mod. 2010



DIMENSIONS				
Mod.	A	E	H	SW
2010 1/8	R1/8	11,5	7,5	9
2010 1/4	R1/4	13,5	11	12
2010 3/8	R3/8	15,5	11,5	14
2010 1/2	R1/2	16	14	16

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

4

CONNECTION

Fittings Mod. 2601



DIMENSIONS							
Mod.	N	A	C	H	I	L	SW
2601 2-M5	2	M5	1,2	4	8	16	8
2601 4,5-M5	4	M5	2,5	4	15	23	8
2601 7-1/8	7	G1/8	4	6	20	30	12
2601 7-1/4	7	G1/4	4	8	20	33	17
2601 8-1/8	8	G1/8	5	6	20	30	12
2601 9-1/8	9	G1/8	5,5	6	20	30	12
2601 9-1/4	9	G1/4	6	8	20	33	17
2601 9-3/8	9	G3/8	6	9	20	34	19
2601 12-1/4	12	G1/4	8,5	8	20	33	17
2601 12-3/8	12	G3/8	9	9	20	34	19
2601 12-1/2	12	G1/2	9	10	20	35,5	24
2601 17-3/8	17	G3/8	12	9	24	38	19
2601 17-1/2	17	G1/2	13	10	24	39,5	24

Fittings Mod. 2013



DIMENSIONS			
Mod.	B	M	SW
2013 1/8	G1/8	19	12
2013 1/4	G1/4	23	14
2013 3/8	G3/8	25	16
2013 1/2	G1/2	31,5	20

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

Fittings Mod. 2020



DIMENSIONS

Mod.	A	B	E	H	M	SW
2021 M5-M5	M5	M5	9	4	10,5	9
2020 1/8-1/8	R1/8	G1/8	11,5	8,5	19	12
2020 1/4-1/4	R1/4	G1/4	15	11	23	14
2020 3/8-3/8	R3/8	G3/8	15	11,5	25	16
2020 1/2-1/2	R1/2	G1/2	17,5	14	31,5	20

Fittings Mod. 2050



DIMENSIONS

Mod.	A	B	E	H	L	M	SW
2050 1/8-1/8	R1/8	G1/8	11,5	8,5	37	19	12
2050 1/4-1/4	R1/4	G1/4	15	11	46	23	14
2050 3/8-3/8	R3/8	G3/8	15	11,5	48,5	25	16
2050 1/2-1/2	R1/2	G1/2	17,5	14	60,5	31,5	20

Fittings Mod. 2060



DIMENSIONS

Mod.	A	B	E	H	M	SW
2060 1/8-1/8	R1/8	G1/8	11,5	8,5	19	12
2060 1/4-1/4	R1/4	G1/4	15	11	23	14
2060 3/8-3/8	R3/8	G3/8	15	11,5	25	16
2060 1/2-1/2	R1/2	G1/2	17,5	14	31,5	20

Fittings Mod. 2080



DIMENSIONS

Mod.	A	E	H	SW
2080 1/8	R1/8	11,5	7,5	9
2080 1/4	R1/4	13,5	11	12
2080 3/8	R3/8	15,5	11,5	14
2080 1/2	R1/2	16	14	16

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

4

CONNECTION

Fittings Mod. 2070



DIMENSIONS

Mod.	A	B	E	H	L	M	SW
2070 1/8-1/8	R1/8	G1/8	11,5	8,5	37	19	12
2070 1/4-1/4	R1/4	G1/4	15	11	46	23	14
2070 3/8-3/8	R3/8	G3/8	15	11,5	48,5	25	16
2070 1/2-1/2	R1/2	G1/2	17,5	14	60,5	31,5	20

Fittings Mod. 2090



DIMENSIONS

Mod.	A	B	E	H	M	SW
2090 1/8-1/8	R1/8	G1/8	11,5	8,5	19	12
2090 1/4-1/4	R1/4	G1/4	15	11	23	14
2090 3/8-3/8	R3/8	G3/8	15	11,5	25	16
2090 1/2-1/2	R1/2	G1/2	17,5	14	31,5	20

Fittings Mod. 2003



DIMENSIONS

Mod.	B	M	SW
2003 1/8	G1/8	19	12
2003 1/4	G1/4	23	14
2003 3/8	G3/8	25	16
2003 1/2	G1/2	31,5	20

Fittings Mod. 2040



DIMENSIONS

Mod.	A	B	E	H	M	SW
2040 1/8-1/8	R1/8	G1/8	13	8,5	17,5	14
2040 1/4-1/4	R1/4	G1/4	13	11	18,5	17
2040 3/8-3/8	R3/8	G3/8	18	12	22,5	22
2040 1/2-1/2	R1/2	G1/2	22,5	15,5	28	26

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

4

Fittings Mod. 2043



DIMENSIONS				
Mod.	B	M	M1	SW
2043 1/8	G1/8	17,5	17,5	14
2043 1/4	G1/4	19	18,5	17
2043 3/8	G3/8	23,5	22,5	22
2043 1/2	G1/2	28	28	26

Fittings Mod. 2033



DIMENSIONS			
Mod.	B	M	SW
2033 1/8	G1/8	19	12
2033 1/4	G1/4	23	14
2033 3/8	G3/8	25	16

Fittings Mod. 2023

Assembly with Mod. 1631, 1635.
•= Assembly with Mod. SCU, SCO, SVU...M5
* = Assembly required with Mod. 1635.



DIMENSIONS						
Mod.	B	M	O	V	W	
2023 M5-M5	M5	10,5	9	5,1	□ 9	
2023 M5-M6	M6	10,5	9	5,1	□ 9	•
2023 1/8-1/8	G1/8	20	14,5	9,8	Ø 14	
2023 1/4-1/4	G1/4	23,5	14,5	13,2	Ø 18	⋆
2023 3/8-3/8	G3/8	26,5	14,5	16,7	Ø 21	⋆

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

4

CONNECTION

Fittings Mod.3033





DIMENSIONS

Mod.	B	C	F	L	T	SW
3033 1/8	G1/8	4	4,5	25	17	16
3033 1/4	G1/4	5	5,5	32	22	20
3033 3/8	G3/8	7	5,5	40	26	25
3033 1/2	G1/2	8	5,5	50	34	30

Fittings Mod. 3043



DIMENSIONS

Mod.	A	Double sided outlets	B	F	G	H	I	L	M	T	SW
3043 1/4-3D-1/8	1/4	3	1/8	4,5	4,5	30	21	72	18	63	20
3043 1/4-4D-1/8	1/4	4	1/8	4,5	4,5	30	21	90	18	81	20
3043 1/4-5D-1/8	1/4	5	1/8	4,5	4,5	30	21	108	18	99	20
3043 1/4-6D-1/8	1/4	6	1/8	4,5	4,5	30	21	126	18	117	20
3043 3/8-3D-1/4	3/8	3	1/4	5,5	6	40	28	92	24	75	25
3043 3/8-4D-1/4	3/8	4	1/4	5,5	6	40	28	116	24	99	25
3043 3/8-5D-1/4	3/8	5	1/4	5,5	6	40	28	140	24	123	25
3043 3/8-6D-1/4	3/8	6	1/4	5,5	6	40	28	164	24	147	25
3043 1/2-3D-3/8	1/2	3	3/8	5,5	6,5	50	37	104	26	85	30
3043 1/2-4D-3/8	1/2	4	3/8	5,5	6,5	50	37	130	26	111	30
3043 1/2-5D-3/8	1/2	5	3/8	5,5	6,5	50	37	156	26	137	30
3043 1/2-6D-3/8	1/2	6	3/8	5,5	6,5	50	37	182	26	163	30

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.

Fittings Mod. 3053



DIMENSIONS										
Mod.	A	Single sided outlets	B	F	G	H	L	M	T	SW
3053 1/4-3L-1/8	1/4	3	1/8	4,5	4,5	30	72	18	63	20
3053 1/4-4L-1/8	1/4	4	1/8	4,5	4,5	30	90	18	81	20
3053 1/4-5L-1/8	1/4	5	1/8	4,5	4,5	30	108	18	99	20
3053 1/4-6L-1/8	1/4	6	1/8	4,5	4,5	30	126	18	117	20
3053 3/8-3L-1/4	3/8	3	1/4	5,5	6	40	92	24	75	25
3053 3/8-4L-1/4	3/8	4	1/4	5,5	6	40	116	24	99	25
3053 3/8-5L-1/4	3/8	5	1/4	5,5	6	40	140	24	123	25
3053 3/8-6L-1/4	3/8	6	1/4	5,5	6	40	164	24	147	25
3053 1/2-3L-3/8	1/2	3	3/8	5,5	6,5	50	104	26	85	30
3053 1/2-4L-3/8	1/2	4	3/8	5,5	6,5	50	130	26	111	30
3053 1/2-5L-3/8	1/2	5	3/8	5,5	6,5	50	156	26	137	30
3053 1/2-6L-3/8	1/2	6	3/8	5,5	6,5	50	182	26	163	30

The company reserves the right to vary models and dimensions without notice.
Products designed for industrial applications. Sale to general public is forbidden.